



Material Safety Data Sheet

Produced/Export by	Thai Hua Rubber Public Company Limited	Contact	+662 274 0741 ext 57
	238/1 Ratchada Pisek Road,		qad@thaihua.com
	Huy Kwang, Bangkok,	Prepared	QAD Manager
	Thailand 10320	Date	17 August 2018

Section I : Product Information

Product: Natural Rubber (Centrifuged Natural Rubber Latex Preserved with Ammonia)

Intended for use: Dipping and Adhesive latex products.

Hazardous Material Information System

Health	1	Flammability	2	Reactivity	0	Protection	X
0 Normal use material		0 Will not burn		0 Stable		X = Consult the MSDS and supervisor	
1 Slight Hazard (temporary)		1 Possible to burn		1 Unstable if heated		For special workplace needs	
2 Health Affected (lengthy)		2 Burns if heated		2 Violent Chemical Change			
3 Extreme Danger		3 Easily Burns		3 Shock and Heat Sensitive			
4 Severe or Fatal		4 Very Easily Burns		4 May Explode			

* Chronic (Accumulates)

Note The HMIS may not be enough hazard information for this chemical in all workplace. The HMIS system requires employee training about the system and the information in this MSDS.

Section 2: Ingredient Information

Chemical/Common Name	CAS-Number	%	Hazard Classification
Natural Rubber (cis 1,4 poly isoprene)	9006-04-6	961-62%@solid	None noted
Styrene Butadiene Rubber (1,3-butadiene polymer)	21645-51-2	0-0.1%	None noted
Stearic Acid	7664-41-7	--	2,3

Section 3: Hazards Identification

Emergency Overview: Centrifuged Natural rubber latex preserved with ammonia.

Potential Acute Health Effects: Ammonia vapors may cause burning eyes, runny nose, coughing and possible chest pain

Potential Chronic Health Effects: No known carcinogenic, mutagenic, teratogenic effects. Repeated or prolonged exposure is not known to aggravate medical conditions

Section 4: First Aid Measures

Skin: Wash with warm water and mild soap. Seek medical advice if symptoms persist

Eye: Irrigate with water, lift lids occasionally. Seek medical aid.

Inhalation: Remove the fresh air. If not breathing, give artificial respiration. Seek medical assistance

Ingestion: Seek medical assistance; avoid consuming food in working area

General Advice: Ammonia vapors may cause burning eyes, runny nose, coughing and possible chest pain

Section 5: Fire Fighting Measures

Flammability :	Yes	Flammability Condition:	Heat/Oxidation
Extinguishment Means:	Sprinkler Installation/ Foam		
Special Procedure	None		
Flash Point and Method	Upper Explosion limit (% by Volume)	Lower Explosion Limit (% by Volume)	
Unknown	Unknown	Unknown	
Auto Ignition Temperature	TDG Flammability Classification	Hazardous Combustion Product	
Unknown	Unknown	Carbon Monoxide	
Sensitivity to Chemical Impact	Rate of Burning	Explosive Power	Sensitivity to Static Discharge
Unknown	Varies	Unknown	Unknown



Material Safety Data Sheet

Section 6: Accidental Release Measures

Spill or Leak Precautions: Wear appropriate protective clothing, gloves and equipment. Collect spilled material by sweeping up solids and disposing of according to local regulations for this type of product. Major spills should be reported to the National Response Center. Spills with potential to contaminate coastal waterways must be reported to the appropriate and relevant governmental offices.

Waste disposal: All containers should be effectively labeled to facilitate the appropriate disposal or reclaim

Section 7: Handling and Storage

Engineering Controls: Ventilation during processing. Avoid breathing vapors.
 Leak and Spill Procedure: N/A
 Waste Disposal: Bury and burn under controlled conditions/ reclaimable
 Handling Procedure and Equipment: N/A
 Storage Requirement: Avoid Heat, direct sunlight and contact with oxidative catalysts. Keep container closed
 Special Shipping Information: None

Section 8: Exposure Control and Personal Protection

Personal Protective Equipment : Clothing when processing

Gloves (specify)	Respiratory (specify)	Eyes (specify)	Footwear (specify)
Yes	Yes	Yes	Yes
Clothing (specify)	Other (Specify)		
Yes	Protective clothing to prevent prolonged exposure to skin		

Section 9: Physical and Chemical Properties

Physical State: Liquid	Odour: Ammonia Odor	Appearance: Milky Liquid	Odour Treshold: NA
Specific Gravity: 0.95-0.96	Vapour Pressure: 730 mm Hg	Vapour Density (air=1): NA	Evaporation Rate: NA
Boiling Point: 100 C	Freezing Point: 0 C	Solubility in Water (20 C): NA	pH: 10-11
Density (g/ml): 0.92	Water/Oil Distribution: NA		

Section 10: Stability and Reactivity

Chemical Stability: Yes
 Incompatibility to other products: Heavy Metals (eg: Cu) acting as pre-oxidants
 Reactivity and under what conditions: Starts to decompose above 220 C, finally releasing vapours which may be toxic and flammable near 300 C
 Hazardous Decomposition Product : Isoprene derivations; carbon monoxide

Section 11: Toxicology Properties of Products

Route of Entry	Ingestion		
LD50 of Product (Route)	Irritancy of Product	Exposure Limit of Product	
Unknown	Unknown	Unknown	
LD50 of Product (Species)	Sensitization of Product	Synergistic Material	
Unknown	Unknown	Unknown	

Section 12: Ecological Properties of Product

This product is not expected to present an environmental hazard. Ecological or environmental effects unknown.

Section 13: Waste Disposal of Product

Waste must be disposed of in accordance to federal, state and local environmental control regulations.

Section 14: Transport Information of Product

DOT Classification: Not a DOT controlled material
 Identification: Not Applicable
 Special Provision: Not Applicable



Material Safety Data Sheet

Section 15: Regulatory Information

Product does not contain a SARA S-313 toxic chemicals above DE minimal thresholds

Natural Rubber is NOT considered hazardous under OSHA hazard communication standard 29 CFR 1910.1200 or the WHMIS Canadian Legislation.

Section 16: Other Information

Contact for Product Information

Tel:(662) 274 0471

Fax:(662) 275 6861

Emergency Contact

Tel:(662) 274 0471 ext 57 or 40

Prepared By : -

Prepared Date: 03 June 2011

Information contained herein is based on data considered accurate which has been obtained from other companies and organization. However, no warranty or representation is expressed or implied that the information is accurate, complete, or representative. Thai Hua Rubber PCL assumes no responsibility for injury to the buyer's employees, or any third party, if reasonable safety precautions are not followed. Additionally, Thai Hua Rubber PCL assumes no responsibility for the injury to the buyer, the buyer's employees, or any third party caused by abnormal use of the material even if reasonable safety precautions are followed.

Sources Used

BRMA Toxicity and Safe Handling of Rubber Chemicals; British Rubber Manufacturers Associations Health and Safety; Malaysian Natural Rubber