

Material Safety Data Sheet

Produced/Export by

Thai Hua Rubber Public Company Limited

238/1 Ratchada Pisek Road,

Huy Kwang, Bangkok, Thailand 10320 Contact

Prepared

+662 274 0741 ext 57

qad@thaihua.com

QAD Manager

Date 25 June 2021

Section I: Product Information

Product Mixture Natural Rubber (SBR)

Intended for use General purpose rubber articles and rubber modified articles

Hazardous Material Information System

Health 1 Flammability 2 Reactivity 0 Protection X 0 Normal use material 0 Will not burn 0 Stable X = Consult the MSDS and supervisor 1 Slight Hazard (temporary) 1 Possible to burn 1 Unstable if heated For special workplace needs 2 Health Affected (tempths) 2 Rupps if heated 3 Victory Changes

2 Health Affected (lengthy) 2 Burns if heated 2 Violent Chemical Change 3 Extreme Danger 3 Easily Burns 3 Shock and Heat Sensitive

4 Severe or Fatal 4 Very Easily Burns 4 May Explode

* Chronic (Accumulates)

Note The HMIS may not be enough hazard information for this chemical in all workplace. The HMIS system requires employee training about the sytem and the information in this MSDS.

Section 2: Ingredient Information

Chemical/Common Name CAS-Number % Hazard Classification Natural Rubber (cis 1,4 poly isoprene) 9004-06-4 97 None noted Styrene Butadiene Rubber (1,3-butadiene polymer) 9003-55-8 2.5 None noted Stearic Acid 57-11-4 0.5 None noted

Section 3: Hazards Identification

Emergency Overview: Product comprises of dried natural rubber crumb mixed with SBR. Stearic acid is used to enhance mixing.

Potential Acute Health Effects Slightly hazardous in case of eye contact (irritant), of ingestion or inhalation.

Potential Chronic Health Effects No know carcigonenic, mutagenic, teratogenic effects. Repeated or prolonged exposure is not known

to aggravate medical conditions

Section 4: First Aid Measures

Skin Wash with warm water and mild soap

Eye Irrigate with water

Inhalation Fume (Burn) Seek medical assistance

Ingestion Seek medical assistance; avoid consuming food in working area

General Advice Handling of solid rubber is not a serious health hazard and does not require special first aid facilities. If

in doubt or irritation persists, seek medical assistance

Section 5: Fire Fighting Measures

Flammability: Yes Flammability Condition: Heat/Oxidation

Extinction Means: Sprinkler Installation/ Foam

Special Procedure None

Flash Point and Method Upper Explosion limit (% by Volume) Lower Explosion Limit (% by Volume)

> 300 C Unknown Unknown

Auto Ignition Temperature TDG Flammability Classification Hazardous Combustion Product

> 300 C Unknown Carbon Monoxide

Sensitivity to Chemical Impact Rate of Burning Explosive Power Sensitivity to Static Discharge

Unknown Varies Unknown Unknown



Material Safety Data Sheet

Section 6: Accidental Release Measures

Spill or Leak Precautions: Wear appropriate protective clothing, gloves and equipment. Collect spilled material by sweeping up solids

And disposing of according to local regulations for this type of product. Major spills should be reported to the National Response Center.

Spills with potential to contaminate coastal waterways must be reported to the appropriate and relevant governmental offices.

Waste disposal: All containers should be effectively labeled to facilitate the appropriate disposal or reclaim

Section 7: Handling and Storage

Engineering Controls: Ventilation during processing

Leak and Spill Procedure: N/A

Waste Disposal: Bury and burn under controlled conditions/ reclaimable

Handling Procedure and Equipment: N/A

Storage Requirement: Avoid Heat, direct sunlight and contact with oxidative catalysts

Special Shipping Information: None

Section 8: Exposure Control and Personal Protection

Personal Protective Equipment : Clothing when processing

Gloves (specify) Respiratory (specify) Eyes (specify) Footwear (specify)

Yes Yes Yes Yes

Clothing (specify) Other (Specify)

Yes Protective clothing to prevent prolonged exposure to skin

Section 9: Physical and Chemical Properties

Physical State: Solid Odour: Slight Appearance: Amber to Dark Brown Odour Treshold: NA

Specific Gravity: 0.92 Vapour Pressure: NA Vapour Density (air=1): NA Evaporation Rate: NA

Boiling Point: NA Freezing Point: NA Solubility in Water (20 C): NA pH: NA

Density (g/ml): 0.92 Water/Oil Distribution: NA

Section 10: Stability and Reactivity

Chemical Stability Yes

Incompatibility to other products Heavy Metals (eg: Cu) acting as pre-oxidants

Reactivity and under what conditions Starts to decompose above 220 C, finally releasing vapours which may be toxic and

flammable near 300 C

Hazardous Decomposition Product : Isoprene derivations; carbon monoxide

Section 11: Toxicology Properties of Products

Route of Entry Ingestion

Unknown Unknown Unknown

LD50 of Product (Species) Sensitization of Product Synergistic Material

Unknown Unknown Unknown

Section 12: Ecological Properties of Product

This product is not expected to present an environmental hazard. Ecological or environmental effects unknown.

Section 13: Waste Disposal of Product

Waste must be disposed of in accordance to federal, state and local environmental control regulations.

Section 14: Transport Information of Product

DOT Classification Not a DOT controlled material

Identification Not Applicable
Special Provision Not Applicable
Natural Rubber: STR, STRL, STRCV, RSS, ADS,



Material Safety Data Sheet

Section 15: Regulatory Information

Product does not contain a SARA S-313 toxic chemicals above DE minimal thresholds

Natural Rubber is NOT considered hazardous under OSHA hazard communication standard 29 CFR 1910.1200 or the WHMIS Canadian Legislation.

Section 16: Other Information

Contact for Product Information Tel:(662) 274 0471 Fax:(662) 275 6861

Emergency Contact Tel:(662) 274 0471 ext 40

Prepared By: QARA Prepared Date: 20 June 2021

Information contained herein is based on data considered accurate which has been obtained from other companies and organization.

However, no warranty or representation is expressed or implied that the information is accurate, complete, or representative. Thai Hua Rubber PCL assumes no responsibility for injury to the buyer's employees, or any third party, if reasonable safety precautions are not followed. Additionally, Thai Hua Rubber PCL assumes no responsibility for the injury to the buyer, the buyer's employees, or any third party caused by abnormal use of the material even if reasonable safety precautions are followed.

Sources Used

BRMA Toxicity and Safe Handling of Rubber Chemicals; British Rubber Manufacturers Associations Health and Safety; Malaysian Natural Rubber